

AGE	2 Months	4 Months	6 Months	12 Months	18 Months	4-6 Years	Grade	
							6	9
VACCINE								
DTaP-HB-IPV-Hib (Diphtheria, Tetanus, Pertussis, Hepatitis B, Polio, <i>Haemophilus Influenzae</i> Type b)	✓	✓	✓					
DTaP-IPV-Hib (Diphtheria, Tetanus, Pertussis, Polio, <i>Haemophilus Influenzae</i> Type b)					✓			
Tdap-IPV (Tetanus, Diphtheria, Pertussis, Polio)						✓		
Rotavirus	✓	✓						
Pneumococcal Conjugate	✓	✓		✓				
Hepatitis A (Aboriginal Children)			✓		✓			
Meningococcal Conjugate C	✓			✓			✓	
MMR (Measles, Mumps, Rubella)				✓		✓		
Varicella (Chickenpox)				✓		✓	✓ (if susceptible)	
Influenza (Flu)			✓ ^τ (6-23 months)					
HPV^{ττ} (Girls Only)							✓ (2 doses – 0 and 6 months)	
Tdap (Tetanus, Diphtheria, Pertussis)								✓
Hepatitis B							✓ (2 doses – 0 and 6 months)	

^τ Second dose needed 4 weeks after the first if receiving influenza vaccine for first time.

^{ττ} Third dose in Grade 11 or 60 months after dose 2.

If you have questions, please contact your local Health Unit
(see back for locations) or visit www.immunizebc.ca